# What actions can I perform using the Rich Text Editor icons?

Note: Depending on your implementation, you may have more icons or fewer icons available to you in the Rich Text Editor. There are several third-party tools that integrate with the editor and display as additional icons in the editing toolbar (e.g., equation editors, video management applications, etc.). Also, some institutions hide seldom-used icons to make the appearance of the editing toolbar more compact.

# Standard Rich Text Editor icons allow the following features: Source Source View or edit the document source code (recommended only for advanced users). **Templates** Templates Select a layout template. Cut Cut the highlighted text to the clipboard. Copy Copy the highlighted text to the clipboard. **Paste**

Paste the data copied to the clipboard into the Rich Text Editor.

Paste the data copied to the clipboard (without formatting).
Print
Print the current document.
Preview
<b></b> 回
Preview the current document.
Undo
<b>←</b>
Undo the most recent action taken.
Redo
<b>→</b>
Redo the most recent action taken.
Find
Q
Find a word or phrase within the document.
Replace
$\stackrel{\star}{p}\stackrel{g}{\tau}$

Paste as plain text

Find and replace a word or phrase within the document.

Select all



Select all of the text in the document.

 $\underline{T}_{x}$ 

Remove the formatting from the highlighted text.

### Insert/remove numbered list

1=

Create numbered lists.

## Insert/remove bulleted list

•=

Create bulleted lists.

#### **Decrease indent**

έ∥≣

Decrease the paragraph indent.

### **Increase indent**



Increase the paragraph indent.

Format a block of text to identify quotations.
Create DIV container
DIU
Creates a container to apply formatting beyond one block of text.
Bold
В
Applies Bold formatting to highlighted text.
Italic
I
Applies Italic formatting to highlighted text.
Underline
<u>U</u>
Applies Underline formatting to highlighted text.
Strikethrough
S
Applies Strikethrough formatting to highlighted text.
Subscript
× <sub>2</sub>
Applies Strikethrough formatting to highlighted text.  Subscript

Block

"

Subscripts the highlighted text.
Superscript
x <sup>2</sup>
Superscripts the highlighted text.
Align left
Set text alignment left.
Align center
重
Set text alignment center.
Align right
Set text alignment right.
Set text alignment right.
Set text alignment right.  Justify
Set text alignment right.  Justify
Set text alignment right.  Justify  Justify text alignment.
Set text alignment right.  Justify  ■  Justify text alignment.  Text direction left to right
Set text alignment right.  Justify  ■  Justify text alignment.  Text direction left to right
Set text alignment right.  Justify  ■  Justify text alignment.  Text direction left to right   Displays text left to right.

Displays text right to left.
Link
Create a hyperlink.
Unlink
Remove a hyperlink.
Anchor
Inserts or modifies a link anchor.
Insert content item
F
Inserts an external tool (i.e., LTI tool) as a content item.
Inserts an external tool (i.e., LTI tool) as a content item.  Record audio clip
Record audio clip
Record audio clip
Record audio clip  T  Create and display a voice recording.
Record audio clip  Treate and display a voice recording.  Insert/edit image
Record audio clip  Create and display a voice recording.  Insert/edit image

Inserts an HTML5 movie/audio player.
Table
Creates a table with the defined number of columns and rows.
Insert horizontal line
Inserts a divider line (horizontal rule).
Smiley
⊕
Inserts an emoticon image (smiley faces, email icon, light bulb, etc.).
Insert special character
Ω
Inserts symbols & special characters (accented characters, trademark, currency symbol, etc.).
Insert CKAwesome
ĵas .
CKAwesome allows you to easily insert a Font Awesome icon into your text in CKEditor.
Styles
Styles -
Applies special styles to a block of text.

Format
Format +
Applies paragraph formatting to a block of text.
Font
Font •
Applies a specific font to a block of text.
Size
Size *
Applies a specific size to a block of text.
Text color
<u>A</u> -
Changes the color of the text.
Background color
Δ-
Changes the background color of the text.
Maximize
5.7 2.9
Maximizes the editor size inside the browser.
Show blocks

8

# **Accessibility Check**



Performs a check for accessibility on your content.

Shows where there are block element boundaries in the text.